

R
18/2/2020

Monthly return of Application received under Right to Information Act -2005, to be sent by the Appellant Authority
(To be submitted by 10th of every following month)
for the Month of 01/2020

ਕੰਪਿਊਟਰ ਸੈਲ ਸਿੱਚਾਈ ਵਿਭਾਗ ਪੰਜਾਬ

ਚੰਡੀਗੜ੍ਹ

ਡਾਇਰੀ ਨੰ. 69 ਮਿਤੀ 20/02/2020

Name & Designation of the Appellate Authority: Superintending Engineer Drainage Const. Circle Ferozepur

Sr. No.	Designation of the State Public Information Officer	Whether information received or not	No. of Application received	No. of Application rejected and the reasons thereof	No. of Application in which information given to applicant	No. of Application Pending	Remarks if any
1	2	3	4	5	6	7	8
1	S.E. Drainage Circle Ferozepur	-	1	Nil	Nil	1	-
2	Public Information Officer-Cum- Executive Engineer, Golewala Drainage Division, Ferozepur	-	1	Nil	Nil	1	-
3	Public Information Officer-Cum- Executive Engineer, Faridkot Drainage Construction Division, Faridkot	Nil	Nil	Nil	Nil	Nil	-
4	Public Information Officer-Cum- Executive Engineer, Drainage Construction Division, Ferozepur at Fazilka.	Nil	1	Nil	1	Nil	-
5	Public Information Officer-Cum- Executive Engineer, Drainage Investigation Division, Ludhiana.	Nil	Nil	Nil	Nil	Nil	Information is not received.
	Total	0	3	0	1	2	

No. 364-66 /30-G RTI

Dt. 11/02/2020

Submitted to the following:-

- 1 Chief Engineer/ Vigilance, Quality Control & Monitoring-cum-Nodal Officer (R.T.I. Act) Irrigation Works, Punjab, Chandigarh.
- 2 Appellate Authority-cum-Superintending Engineer, Drainage Construction Circle, Canal Colony, Ferozepur. (Tel. No. 01632-245188) . For information and necessary action please.
- 3 Incharge/ Computer Cell, Irrigation Works, Punjab, Chandigarh. He is intimated that the soft copy of the above information alongwith photocopy of application & reply has been sent to your E-mail ID: "irrcmp2@gmail.com" & hard copy of the same are also sent herewith for further necessary action, please.

Executive Engineer-Cum-Nodal Officer,
Drainage Const. Division,
Ferozepur at Fazilka

ਕੰਪਿਊਟਰ ਸੈਲ

